Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	37	mega-cell or megecell	USPAT	OR	OFF	2005/05/31 13:05
L2	47	mega-cell or megecell	USPAT	OR	ON	2005/05/31 13:05
L3	336	mega-cell or megacell	USPAT	OR	ON	2005/05/31 13:05
L4	85	3 and (power adj consumption)	USPAT	OR	ON	2005/05/31 13:05
L5	34	4 and simulation	USPAT	OR	ON	2005/05/31 13:05
L6	2	5 and ((power adj consumption) same simulation)	USPAT	OR	ON	2005/05/31 13:06



 Web
 Images
 Groups
 News
 Froogle
 Local
 more »

 "simulating logic of megacells"
 Search
 Advanced Search Preferences

## Web

Tip: Try removing quotes from your search to get more results.

Your search - "simulating logic of megacells" - did not match any documents.

## Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.

<u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

©2005 Google

(optional)

Gogie API Proximity Search (GAPS)
From staggernation.com - Read Me - GAPS - GARBO - GAWSH

In that order souths, with up to from each query is filter each query license key (optional) Is you have your own Google API license key, we would appreciate your entering it (optional) Is you have your own Google API license key, we would appreciate your entering it here; it will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.  Found simulation within 3 words of megacell.  First 3 results of about 3 from An I/O System on a Chip [distance: 2] Is a mainframe environment is thip://www.hpl.hp.com/hpjournal/95apr/apr95a4.pdf - Cached - Similar pages  Fast Prototyping: a system design flow for fast design is Glatance: 3] Is a simulation model of the megacell we also need the DSP, represented by its ISS integrated in the design. The ISS is generated using FlexWare http://www.hwswworld.com/downloads/y13/3_4.PDF - Cached - Similar pages  IP-based System-On-Chip Design [distance: 2] Master-Slave Interaction. Multilayer IP Model. Heterogeneous Co-Simulation.  HW-SW Co-Simulation. ADSL Megacell. Outline. Effective SOC Implementation http://www.cn.nctu.edu.tw/faculty/lennon/Talks/ECE-talk1/ - 5k - Cached - Similar pages  Find simulation within 3 word(s) of megacell Search	
License key (optional)  If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.  Found simulation within 3 words of megacell.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.  First 3 results of about 3 frown in the stored anywhere or used in any other way.	
If you have your own Google API licerackey, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.  Found simulation within 3 words of megacelt.  First 3 results of about 3 from the interest of the chip. Be, cause the megacell wendor used proprietary simulators run, ning in a mainframe environment http://www.hpl.hp.com/hpjournal/95apr/apr95a4.pdf Cached - Similar pages  Fast Prototyping: a system design flow for fast design [distance: 2] To get a simulation model of the megacell we also need the DSP, represented by its ISS integrated in the design. The .ISS is generated using FlexWare http://www.hwswworld.com/downloads/y13/3_4.PDF Cached - Similar pages  IP-based System-On-Chip Design [distance: 2] Master-Slave Interaction. Multilayer IP Model. Heterogeneous Co-Simulation. HW-SW Co-Simulation. ADSL Megacell. Outline. Effective SOC Implementation http://www.on.nctu.edu.tw/facuity/lennon/Talks/ECE-talk1/ - 5k - Cached - Similar pages  Find simulation within 3 word(s) of megacell Search	
An I/O System on a Chip [distance: 2] rent simulation of the megacell and the rest of the chip. Be. cause the megacell vendor used proprietary simulators run. ning in a mainframe environment http://www.hpl.hp.com/hpjournal/95apr/apr95a4.pdf Cached - Similar pages  Fast Prototyping: a system design flow for fast design [distance: 3] To get a simulation model of the megacell we also need the. DSP, represented by its ISS integrated in the design. The. ISS is generated using FlexWare http://www.hwswworld.com/downloads/y13/3_4.PDF Cached - Similar pages  IP-based System-On-Chip Design [distance: 2] Master-Slave Interaction. Multilayer IP Model. Heterogeneous Co-Simulation. HW-SW Co-Simulation. ADSL Megacell. Outline. Effective SOC Implementation http://www.cn.nctu.edu.tw/faculty/lennon/Talks/ECE-talk1/ - 5k - Cached - Similar pages  Find simulation within 3 word(s) of megacell Search	
rent simulation of the megacell and the rest of the chip. Be. cause the megacell vendor used proprietary simulators run. ning in a mainframe environment http://www.hpl.hp.com/hpjournal/95apr/apr95a4.pdf Cached - Similar pages  Fast Prototyping: a system design flow for fast design [distance: 3] To get a simulation model of the megacell we also need the DSP, represented by its ISS integrated in the design. The ISS is generated using FlexWare http://www.hwswworld.com/downloads/y13/3_4.PDF Cached - Similar pages  IP-based System-On-Chip Design [distance: 2] Master-Slave Interaction. Multilayer IP Model. Heterogeneous Co-Simulation. HW-SW Co-Simulation. ADSL Megacell. Outline. Effective SOC Implementation http://www.cn.nctu.edu.tw/facuity/lennon/Talks/ECE-talk1/ - 5k - Cached - Similar pages  Find simulation within within word(s) of megacell Search	om 4 queries
Master-Slave Interaction. Multilayer IP Model. Heterogeneous Co-Simulation.  HW-SW Co-Simulation. ADSL Megacell. Outline. Effective SOC Implementation  http://www.cn.nctu.edu.tw/faculty/lennon/Talks/ECE-talk1/ - 5k - Cached - Similar pages  Find simulation within 3 word(s) of megacell Search	
in that order Sort by title Additional terms:	
Show All results, with up to 10 from each query Filter each query	

If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.

Google API Proximity Search (GAPS)
From staggernation.com - Read Me - GAPS - GARBO - GAWSH

Find simulation	within 2 word(s) of megacell	Search				
in that order 💌 Sort by title	Additional terms:					
Show All results, with up to 10 from each query Filter each query						
License key (optional)	If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.					

Found simulation within 2 words of megacell.

First 2 results of about 2 from 3 queries.

An I/O System on a Chip [distance: 2]

... rent simulation of the megacell and the rest of the chip. Be. cause the megacell vendor used proprietary simulators run. ning in a mainframe environment ... http://www.hpl.hp.com/hpjournal/95apr/apr95a4.pdf - - Cached - Similar pages

<u>IP-based System-On-Chip Design</u> [distance: <u>2</u>] ... Master-Slave Interaction. Multilayer IP Model. Heterogeneous Co-Simulation. HW-SW Co-Simulation. ADSL Megacell. Outline. Effective SOC Implementation ... http://www.cn.nctu.edu.tw/faculty/lennon/Talks/ECE-talk1/ - 5k - Cached - Similar pages

Find simulation	within 2 word(s) of megacell	Search				
in that order Sort by title	Additional terms:					
Show All results, with up to 10 from each query Filter each query						
License key (optional)	If you have your own Google API license key, we would appreciate your entering it here. It will be used only for the searches you do with this script, and it will not be stored anywhere or used in any other way.					